

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6275985").PN.	US-PGPUB; USPAT	OR	OFF	2007/06/14 11:53
L2	81	(multiple plurality) near3 heap same garbage adj collect\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:20
L3	216	(multiple plurality generation\$2) near3 heap same garbage adj collect\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:20
L4	65	3 and ((@ad < "20000531") or (@prad < "20000531") or (@rlad < "20000531"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:53
L5	10	middleware adj heap	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:00
L6	8	middleware adj heap and (classloader loader)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:01
L7	35	system adj heap and (classloader loader)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:01
L8	45	(system persistent) adj heap and (classloader loader)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:02
L9	10	(system persistent) adj heap and (classloader loader) and (transient temporary) adj heap	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:02
L10	12	(system persistent) adj heap and (transient temporary) adj heap	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:47
L11	23	((("7216136") or ("7210122") or ("7150009") or ("7134123") or ("7107426") or ("7024436") or ("6996590") or ("6912553") or ("6907437") or ("6904589") or ("6892212") or ("6879991") or ("6823509") or ("6804765") or ("6772153") or ("6738977") or ("6694346") or ("6654951") or ("6463581") or ("6434575") or ("6339841") or ("6247025") or ("6041179"))).PN.	USPAT	OR	OFF	2007/06/14 13:47
L12	0	(private and public) adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L13	0	(private and shar3) adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01

EAST Search History

L14	45	class adj loader with (heap)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L15	256	class adj loader with (memory or heap)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L16	35	java same system adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L17	32	persistent adj object same heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L18	12	persistent with class with loader	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L19	10	system adj class same system adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L20	12	system adj heap and application adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L21	13	virtual adj machine same (persistent or middleware) adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L22	13	virtual adj machine same (persistent or middleware) adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L23	10	virtual adj machine same (three or multiple) adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L24	11	virtual adj machine same system adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:01
L25	11	virtual adj machine same system adj heap	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:02
L26	56	(system transient middleware persistent thread) adj heap with (load\$3 class\$load\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:03
L27	2672	(711/170).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:53
L28	154	(717/166).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:53
L29	223	27 and garbage adj collect\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:53

EAST Search History

L30	29	28 and garbage adj collect\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:54
L31	578	(719/316).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:54
L32	595	(718/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:54
L33	743	(707/206).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/14 15:59
L34	1043	(heap and (loader class\$load\$3 class adj load\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:00
L35	423	(heap and (loader near3 class class\$load\$3 class adj load\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:00
L36	423	("heaps" and (loader near3 class class\$load\$3 class adj load\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:01
L37	386	("heaps" and (loader near3 class class\$load\$3 class adj load\$3) and virtual adj machine)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:01
L38	306	("heaps" and (loader near3 class class\$load\$3 class adj load\$3) and virtual adj machine and garbage adj collect\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:01
L39	0	("heaps" and (loader near3 class class\$load\$3 class adj load\$3) with (object) and virtual adj machine and garbage adj collect\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:02
L40	1	("heaps" and (loader near3 class class\$load\$3 class adj load\$3) and virtual adj machine and garbage adj collect\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:03
L41	2	("heaps" and (loader near3 class class\$load\$3 class adj load\$3) and garbage adj collect\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:05
L42	10	("heaps" and (loader near3 class class\$load\$3 class adj load\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:16

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

site:portal.acm.org garbage collection heap class

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 62 of 62 from portal.acm.org for garbage collection heap classloader. (0.22 seconds)

[\[PDF\] Early storage reclamation in a tracing garbage collector](#)

File Format: PDF/Adobe Acrobat

loadClass method of a **class-loader** [LB98]. Rather than performing a single analysis phase, A generational **garbage collector** separates the **heap** into a ...
portal.acm.org/ft_gateway.cfm?id=312035&type=pdf - [Similar pages](#)

[\[PDF\] Tuning Garbage Collection for Reducing Memory System Energy in an ...](#)

File Format: PDF/Adobe Acrobat

garbage collection is a **heap**-intensive (i.e., memory-intensive) operation and of **garbage collection** is to create more free space in the **heap**. ...
portal.acm.org/ft_gateway.cfm?id=581892&type=pdf&coll=GUIDE&dl=ACM&CFID=15151515&CFTO... - [Similar pages](#)

[\[PDF\] Task-Aware Garbage Collection in a Multi-Tasking Virtual Machine](#)

File Format: PDF/Adobe Acrobat

tee of isolation with respect to **garbage collection** costs, accounting. of memory usage, and timely reclamation of **heap** resources upon. task termination. ...
portal.acm.org/ft_gateway.cfm?id=1133965&type=pdf - [Similar pages](#)

[\[PDF\] Contaminated Garbage Collection](#)

File Format: PDF/Adobe Acrobat

The **class loader** and JNI-processing components were ditional **garbage collector**. Moreover, we set up the runs to. avoid **heap** compaction. ...
portal.acm.org/ft_gateway.cfm?id=349334&type=pdf - [Similar pages](#)

[\[PDF\] Unloading Java Classes That Contain Static Fields](#)

File Format: PDF/Adobe Acrobat

1 Introduction. Two of the features of the Java programming language that have contributed to its popularity are **garbage. collection** of **heap** allocated data, ...
portal.acm.org/ft_gateway.cfm?id=609750&type=pdf - [Similar pages](#)

[\[PDF\] Interpreting Java Program Runtimes](#)

File Format: PDF/Adobe Acrobat

which slowed the **class loader** even further. Frequently, when we are measuring ... **heap** is still relatively full after a **garbage collection**, more memory ...
portal.acm.org/ft_gateway.cfm?id=1047372&type=pdf - [Similar pages](#)

[\[PDF\] Cycles to Recycle: Garbage Collection on the IA-64](#)

File Format: PDF/Adobe Acrobat

tain separation of responsibility among the **class loader** (which creates During **garbage collection** one must scan objects in the **heap**, in order ...
portal.acm.org/ft_gateway.cfm?id=362470&type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

[\[PDF\] Multiprocessing and Portability for PDAs 1 Introduction 2 Isolation](#)

File Format: PDF/Adobe Acrobat

instance, consider a **garbage collector** (which does not ... A GVM process consists of a **class loader**-. based name space, a **heap**, and a set of threads in that ...
portal.acm.org/ft_gateway.cfm?id=566733&type=pdf - [Similar pages](#)

[\[PDF\] Test Bench for Software Development of Object-Oriented Processor](#)

File Format: PDF/Adobe Acrobat

be replaced by an optimization compiler and **garbage collector** will be added. The system offers the Java **class loader** and compiler to translate the Java ...
portal.acm.org/ft_gateway.cfm?id=963723&type=pdf - [Similar pages](#)

[\[PDF\] Test Bench for Software Development of Object-Oriented Processor](#)

File Format: PDF/Adobe Acrobat

compiler will be replaced by an optimization compiler and **garbage collector** will be added. The system. offers the Java **class loader** and compiler to ...
portal.acm.org/citation.cfm?doid=966809.966811 - [Similar pages](#)

[\[PDF\] Prefetch Injection Based on Hardware Monitoring and Object Metadata](#)

File Format: PDF/Adobe Acrobat

the **garbage collector**'s global view of **heap** and object layout, the containing valid vtables recorded by the **class loader**. The search ...
portal.acm.org/ft_gateway.cfm?id=996873&type=pdf&coll=GUIDE&dl=GUIDE&CFID=20535394&CF... - [Similar pages](#)

[PDF] [Hardware Support for Detecting Illegal References in a ...](#)

File Format: PDF/Adobe Acrobat

can be allocated into a scoped region or the **heap**. **Garbage collection** within

Thus, when an application needs a new class, the **class loader** ...

portal.acm.org/ft_gateway.cfm?id=1196638&type=pdf - [Similar pages](#)

[PDF] [Joeq: A Virtual Machine and Compiler Infrastructure](#)

File Format: PDF/Adobe Acrobat

such as reference maps for **garbage collection**, exception tables, line. numbers for debugging and generating exception tracebacks, and. the locations of **heap** ...

portal.acm.org/ft_gateway.cfm?id=858577&type=pdf - [Similar pages](#)

[PDF] [The XTREM Power and Performance Simulator for the Intel XScale ...](#)

File Format: PDF/Adobe Acrobat

The **garbage collector** is the third largest energy consumer utilizing more than. 11% of the total energy with a **heap** size of 32 M, only overtaking other when ...

portal.acm.org/ft_gateway.cfm?id=1210272&type=pdf - [Similar pages](#)

[PDF] [Applying Priorities to Memory Allocation](#)

File Format: PDF/Adobe Acrobat

time threads do their memory allocation on a **heap** with. traditional **garbage collection**. RTSJ uses scoped memory areas for high priority threads. ...

portal.acm.org/ft_gateway.cfm?id=512431&type=pdf - [Similar pages](#)

[PDF] [Garbage](#)

File Format: PDF/Adobe Acrobat

ing compiler, this **collector** was able to **garbage collect** a 1 GB **heap**. with millions of live objects in under mined to be acyclic by the **class loader**. ...

portal.acm.org/citation.cfm?doid=378795.378819 - [Similar pages](#)

[PDF] [A Scalable Architecture for Multi-threaded JAVA Applications](#)

File Format: PDF/Adobe Acrobat

uses a **class loader** to find and load the binary representa- longer needed with a low priority **garbage collection** pro- ...

portal.acm.org/ft_gateway.cfm?id=368445&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

[PDF] [Implementing Jalapeno in Java](#)

File Format: PDF/Adobe Acrobat

ple **class loader**, an object allocator (no **garbage collection**),. a baseline compiler that translated an ever enlarging subset. of Java's bytecodes, ...

portal.acm.org/ft_gateway.cfm?id=320418&type=pdf&dl=GUIDE&dl=GUIDE -

Supplemental Result - [Similar pages](#)

[PDF] [Exploiting Prolific Types for Memory Management and Optimizations](#)

File Format: PDF/Adobe Acrobat

lectors typically cause shorter pauses for **garbage collection**, due to. the need to look at a smaller **heap** partition at a time, but lead to ...

portal.acm.org/ft_gateway.cfm?id=503300&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=24851137&CF... - [Similar pages](#)

[PDF] [Java Support for Data-Intensive Systems: Experiences Building the ...](#)

File Format: PDF/Adobe Acrobat

done on the Java **heap**, and the **garbage collector** periodically searches for and deallocates

We use the Java **class loader** to dynamically load the ...

portal.acm.org/ft_gateway.cfm?id=604282&type=pdf - [Similar pages](#)

[PDF] [Application Isolation in the Java™ Virtual Machine](#)

File Format: PDF/Adobe Acrobat

garbage collector design. More study is needed in this area. 8.3 **Class Loader** Based Protection. A simple example of multitasking that utilizes class loaders ...

portal.acm.org/ft_gateway.cfm?id=353195&

type=pdf&coll=GUIDE&dl=ACM&CFID=15151515&CFTO... - [Similar pages](#)

[PDF] [A Software Framework for Integrated Sensor Network Applications](#)

File Format: PDF/Adobe Acrobat

garbage collector that sweeps the **heap** space in a linear. fashion to conserve memory. ... **class loader**. The extensible VM provides an abstract and ...

portal.acm.org/ft_gateway.cfm?id=1142694&type=pdf - [Similar pages](#)

[PDF] [Object Equality Profiling](#)

File Format: PDF/Adobe Acrobat

Online instrumentation using a custom **class loader** is not possible, the overhead of **garbage collection** (GC), or reducing **heap** require- ...

portal.acm.org/ft_gateway.cfm?id=949333&type=pdf - [Similar pages](#)

[PDF] [JRes: A Resource Accounting Interface for Java](#)

File Format: PDF/Adobe Acrobat

notions of Java: the **class loader** and the security manager. The function of the **class loader** is to invoke **garbage collection**, Java programmers are not ...

portal.acm.org/ft_gateway.cfm?id=286944&

type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOKEN=... - [Similar pages](#)

[PDF] [Implementing Jalapeno in Java](#)

File Format: PDF/Adobe Acrobat

ple class loader, an object allocator (no **garbage collection**), they reside in the same **heap** however). Jalapeno's collectors ...

portal.acm.org/ft_gateway.cfm?id=320418&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

[PDF] [Language Integration in the Common Language Runtime](#)

File Format: PDF/Adobe Acrobat

platformneutral, and consists of several components, including a **garbage collector**, **class loader**, metadata engine, and. debugging and security services. ...

portal.acm.org/ft_gateway.cfm?id=772973&type=pdf - [Similar pages](#)

[PDF] [Experiences with Multi-threading and Dynamic Class Loading in a ...](#)

File Format: PDF/Adobe Acrobat

in progress would unnecessarily burden the **class loader** and. adversely impact program startup. loading a class during **garbage collection** complicates ...

portal.acm.org/ft_gateway.cfm?id=1122395&type=pdf - [Similar pages](#)

[PDF] [The KaffeOS Java Runtime System](#)

File Format: PDF/Adobe Acrobat

the remaining objects into the kernel **heap**. **Garbage collection** of the kernel Each KaffeOS process has its own **class loader**, which man- ...

portal.acm.org/ft_gateway.cfm?id=1075383&type=pdf - [Similar pages](#)

[PDF] [Vertical Profiling: Understanding the Behavior of Object-Oriented ...](#)

File Format: PDF/Adobe Acrobat

classloader.VM NormalMethod, and we suspect that this in-. dicates contention in the runtime ... space, the **garbage collector** grows the **heap** up to a user- ...

portal.acm.org/ft_gateway.cfm?id=1028998&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=20535394&C... - [Similar pages](#)

[PDF] [Real-Time Java Processor Optimized for RTSJ](#)

File Format: PDF/Adobe Acrobat

allowed to allocate or even reference objects from the **heap**, and. can safely execute in preference to the **garbage collector**. ...

portal.acm.org/ft_gateway.cfm?id=1244332&type=pdf - [Similar pages](#)

[PDF] [Multitasking without Compromise: a Virtual Machine Evolution](#)

File Format: PDF/Adobe Acrobat

isolation, an extension of a copying, generational **garbage. collector** to provide best-effort management of a portion of the. **heap** space, and a transparent ...

portal.acm.org/ft_gateway.cfm?id=504292&

type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

[PDF] [Anomaly Intrusion Detection in Dynamic Execution Environments](#)

File Format: PDF/Adobe Acrobat

July 1998: A **ClassLoader** bug allows an applet to tive **heap** allocation and **garbage collection** behavior. **Garbage collection** is becoming more important ...

portal.acm.org/ft_gateway.cfm?id=844112&type=pdf - [Similar pages](#)

[PDF] [Method-Level Phase Behavior in Java Workloads](#)

File Format: PDF/Adobe Acrobat

garbage collector, the **class loader**, the finalizer, etc. never touched by the **garbage collector**, they are allocated. outside of the Java **heap**. ...

portal.acm.org/ft_gateway.cfm?id=1028999&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=15151515&C... - [Similar pages](#)

[PDF] [Enabling Unrestricted Automated Synthesis of Portable Hardware ...](#)

File Format: PDF/Adobe Acrobat

class loader and a JNI-based native library to call hardware ... maintains memory consistency, since the **garbage collector** ...

portal.acm.org/ft_gateway.cfm?id=1084896&

type=pdf&coll=ACM&dl=GUIDE&CFID=15151515&CFT... - [Similar pages](#)

[PDF] [Type-Based Hot Swapping of Running Modules](#)

File Format: PDF/Adobe Acrobat

Java, using facilities such as the COM API or the Java **ClassLoader** an adapted **garbage collector** algorithms to scavenge the **heap** ...

portal.acm.org/ft_gateway.cfm?id=507645&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=76430742&CF... - [Similar pages](#)

[PDF] [XTREM: A Power Simulator for the Intel XScale Core](#)

File Format: PDF/Adobe Acrobat

ponents) such as the Java **class loader**, the JIT compiler, JITted code execution and the **garbage collector** phase. Such study can potentially help identify ...

portal.acm.org/ft_gateway.cfm?id=997180&

type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOKEN=... - [Similar pages](#)

[PDF] [The Jalapeño Dynamic Optimizing Compiler for Java™](#)

File Format: PDF/Adobe Acrobat

objects on the stack instead of the **heap**. This leads to (i) reduced overheads of object allocation, and deallocation. (i.e., **garbage collection**, ...

portal.acm.org/citation.cfm?doid=304065.304113 - [Similar pages](#)

[PDF] [Performance Monitoring of Java Applications](#)

File Format: PDF/Adobe Acrobat

when an object is created, released, or moved in the **heap** due to **garbage collection**. 4.2 Profiler agent. Our first profiler agent prototype logged events ...

portal.acm.org/ft_gateway.cfm?id=584388&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

[PDF] [PDF995_Job 4](#)

File Format: PDF/Adobe Acrobat

classes with a customised **class loader**, which to a certain degree ... **garbage collection** is implemented as class unloading, then this ...

portal.acm.org/ft_gateway.cfm?id=957325&type=pdf&coll=GUIDE&dl=GUIDE -

[Similar pages](#)

[PDF] [Orthogonal Persistence for the Java™ Platform: Specification and ...](#)

File Format: PDF/Adobe Acrobat

reachability as described above; or b) is referenced by a **ClassLoader** instance

garbage collection and "unloading". This centered around whether the ...

portal.acm.org/ft_gateway.cfm?id=974998&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

[PDF] [Javana: A System for Building Customized Java Program Analysis Tools](#)

File Format: PDF/Adobe Acrobat

64MB **heap** and the generational mark-sweep (GenMS) **garbage collector**; pseudobbb and the DaCapo benchmarks are run with a 500MB **heap**. ...

portal.acm.org/ft_gateway.cfm?id=1167487&type=pdf - [Similar pages](#)

[PDF] [Fast Online Pointer Analysis](#)

File Format: PDF/Adobe Acrobat

garbage collector to set aside some extra space for this purpose. Our validation methodology relies on the ability to map concrete **heap** objects ...

portal.acm.org/citation.cfm?doid=1216374.1216379 - [Similar pages](#)

[PDF] [HBench: Java: An Application-Specific Benchmarking Framework for ...](#)

File Format: PDF/Adobe Acrobat

management system that automatically manages the **heap** for the application.

incorporates the **garbage collector** (GC) and the JVM execution ...

portal.acm.org/ft_gateway.cfm?id=337474&type=pdf - [Similar pages](#)

[PDF] [Formalizing the Safety of Java, the Java Virtual Machine, and Java ...](#)

File Format: PDF/Adobe Acrobat

garbage collection. Type safety means that the Java com- **Dynamic Class Loader**. As opposed to other programming lan- guages such as C or C++, ...

portal.acm.org/ft_gateway.cfm?id=503115&type=pdf - [Similar pages](#)

[PDF] [Pluggable Verification Modules: An Extensible Protection Mechanism ...](#)

File Format: PDF/Adobe Acrobat

garbage collection, native method dispatching and all as- pects of bytecode interpretation. ... trol flags, package, **classloader**, name, superclass, su- ...

portal.acm.org/ft_gateway.cfm?id=1029010&type=pdf - Supplemental Result -

[Similar pages](#)

[PDF] [A Comparative Study of Static and Profile-Based Heuristics for ...](#)

File Format: PDF/Adobe Acrobat

uler, memory management systems, **class loader**, and. compilers, is implemented in Java. With this design, ... copying **garbage collector** and 300MB of **heap**. ...

portal.acm.org/ft_gateway.cfm?id=351416&

type=pdf&coll=ACM&dl=ACM&CFID=24703619&CFTOKEN=... - [Similar pages](#)

[Java Virtual Machine Specification, 2nd edition](#)

James M. Stichnoth , Guei-Yuan Lueh , Michał Cierniak, Support for **garbage collection** at every instruction in a Java compiler, ACM SIGPLAN Notices, ...

portal.acm.org/citation.cfm?id=553607&dl=ACM&coll=Portal - [Similar pages](#)

[PDF] [Measuring the Dynamic Behaviour of AspectJ Programs](#)

File Format: PDF/Adobe Acrobat

of callbacks from JNI code, or the execution of the **class loader**,. for example.

tions has a huge impact on execution time, with **garbage collection** ...

portal.acm.org/ft_gateway.cfm?id=1028990&type=pdf - [Similar pages](#)

[PDF] [A Review of the Rationale and Architectures of PJama: a Durable ...](#)

File Format: PDF/Adobe Acrobat

large-scale, fault-tolerant and complete disk **garbage collection** remains a

Wasted **Heap Space** — each time a **class loader** loads a class it allocates ...

portal.acm.org/ft_gateway.cfm?id=974994&type=pdf - [Similar pages](#)

[Application isolation in the Java Virtual Machine](#)

... programming language either use one process or one **class loader** for each

Task-aware **garbage collection** in a multi-tasking virtual machine, ...

portal.acm.org/citation.cfm?id=353195&

jmp=citings&coll=GUIDE&dl=GUIDE,ACM&CFID=15151515... - [Similar pages](#)

[PDF] [Adding Trace Matching with Free Variables to AspectJ](#)

File Format: PDF/Adobe Acrobat

time taken in seconds, as well as the total amount of **heap**. memory used in kilobytes.

The memory measurements were. taken by calling the **garbage collector** ...

portal.acm.org/ft_gateway.cfm?id=1094839&type=pdf - [Similar pages](#)

[PDF] [Implementation of a Portable Software DSM in Java](#)

File Format: PDF/Adobe Acrobat

such as JIT compilers and efficient **garbage collection** algorithms, the (remote)

server host using a customized **class loader**. Other Implementation ...

portal.acm.org/ft_gateway.cfm?id=376845&

type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

[PDF] [Using Shape Analysis to Reduce Finite-State Models of Concurrent ...](#)

File Format: PDF/Adobe Acrobat

power from dynamic features like **heap** allocation, **garbage collection**, ... the program

cannot use the **class loader** to dynamically load code). We do ...

portal.acm.org/citation.cfm?doid=332740.332741 - [Similar pages](#)

[PDF] [Design and Implementation of Genetics for the .NET Common Language ...](#)

File Format: PDF/Adobe Acrobat

Objects in the CLR's **garbage-collected heap** are represented by a to Java based

on specialization in the **class loader** [2] where every ...

portal.acm.org/ft_gateway.cfm?id=378797&

type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOKE... - [Similar pages](#)

[PDF] [Pluggable Verification Modules: An Extensible Protection Mechanism ...](#)

File Format: PDF/Adobe Acrobat

garbage collection, native method dispatching and all as-. pects of bytecode

interpretation in JVM bytecode as a **classloader**. Such an alternative ap- ...

portal.acm.org/ft_gateway.cfm?id=1029010&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=20535394&C... - [Similar pages](#)

[PDF] [Safe Class and Data Evolution in Large and Long-Lived Java ...](#)

File Format: PDF/Adobe Acrobat

rules for object reachability, or is referenced by a **ClassLoader** instance that is

heap. Thus, the **garbage collector** treats them as Java objects, ...

portal.acm.org/ft_gateway.cfm?id=975002&type=pdf - [Similar pages](#)

[PDF] [Virtual Machine Support for Dynamic Join Points](#)

File Format: PDF/Adobe Acrobat

be generated by a compiler, bytecode weaver or **class loader** run-time compiler

infrastructure and the semi-space **garbage. collector**. ...

portal.acm.org/citation.cfm?doid=976270.976282 - [Similar pages](#)

[PDF] [© Copyright 1996 Sun Microsystems, Inc. The SML Technical Report ...](#)

File Format: PDF/Adobe Acrobat

We developed a **class loader** in Java which is able to read class le format. We

Objects created in a persistent **heap** with **garbage collection** become ...

portal.acm.org/ft_gateway.cfm?id=974962&

type=pdf&coll=GUIDE&dl=GUIDE&CFID=43895&CFTOK... - [Similar pages](#)

[PDF] [Security issues surrounding programming languages for mobile code ...](#)

File Format: PDF/Adobe Acrobat

garbage-collected heap. • memory area. JAVA Applications ... **class loader**. loads all

classes. needed for the execution of a program whether ...

portal.acm.org/ft_gateway.cfm?id=506137&

type=pdf&coll=&dl=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

[PDF] [A Microkernel Virtual Machine: Building Security with Clear Interfaces](#)

File Format: PDF/Adobe Acrobat

language execution model, bytecode execution, threads, **garbage. collection**, and

code loading. Additionally, any potentially sensitive ...

portal.acm.org/ft_gateway.cfm?id=1134754&type=pdf - [Similar pages](#)

[PDF] [A Scalable, Robust Network for Parallel Computing](#)

File Format: PDF/Adobe Acrobat

heap and unready task collection. Although the task graph can be a DAG, the spawn graph CX class loader downloads task class files to the primary ...
portal.acm.org/ft_gateway.cfm?id=376814&
type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - Similar pages

[PDF] CX: A scalable, robust network for parallel computing
File Format: PDF/Adobe Acrobat
nizedsimilarly, with a readytask heap andunreadytask. collection. task server via
the consumer's class loader. From there ...
portal.acm.org/ft_gateway.cfm?id=1239961&type=pdf - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 62 already displayed.
If you like, you can repeat the search with the omitted results included.

Try Google Desktop: search your computer as easily as you search the web.

site:portal.acm.org garbage collectio

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)